

Nissink | Business Glass B.V.

Amazing glass creation



NISSINK BUSINESS GLASS ROYAL-WALKABLE


The patterns are as diverse as their inspirers from nature. But the standards for their applications remain the same: We aim to inspire you with our first class flexibility, quality and reliability.

CERTIFICATED SAFETY

The special Yorfloor® collection for flooring and glass stair projects consists of 6 patterns in total. Each of these patterns was tested and certified by the leading European Work Safety institution "IFA" for their anti-slip degrees.


Certificated R11 Anti-Slip Degree from IFA Institute (Germany)

OUTSTANDING PERFORMANCE




COMFORT

Certificated R10 Anti-Slip Degree from IFA Institute (Germany)




DREAM

Certificated R10 Anti-Slip Degree from IFA Institute (Germany)




ELEGANCE

Certificated R10 Anti-Slip Degree from IFA Institute (Germany)




SECRET

Certificated R11 Anti-Slip Degree from IFA Institute (Germany)



TRAIL

Certificated R12 Anti-Slip Degree from IFA Institute (Germany)



TRUST

Certificated R11 Anti-Slip Degree from IFA Institute (Germany)

PROPERTIES

- Standard sizes 321x225cm or 160,5x225cm
- Consistent finish and appearance
- No degradation, nor wear, does not pickle or discolor, and will not change over time
- Soft and silk to the touch
- Any process such as cutting, polishing, or beveling, it allows easy bending, lamination and temperate toughening
- Ease of cleaning and resistance to marks and stains
- Resistant to common cleaners because it is not an additive, or a bonded layer
- Does not peel or discolor like films
- Does not scratch off like coatings

TAKE SECURITY ONE STEP FURTHER BY USING THE ROYAL-WALKABLE

As a decorative and functional decking material Yorfloor® Comfort by Yorglass provides you clear added value for your applications with its unmatched features.

Anti - Slip Safety: In accordance with DIN 51130 (2010) Standard and R10 safety classes, Yorfloor® Comfort is suitable for use in parking areas, traffic paths, entrances, sanitary areas and indoor or outdoor stairs.

ABRASION RESISTANCE

Yorfloor® Comfort stands out with its guaranteed performance through its abrasion resistance. According to EN 13748-2 Standard Yorfloor® Comfort classified as HG class floor tiles with an average of 9 cm³/50cm².



Nissink Business Glass B.V. | Spoorstraat 56 | 8271 RH IJsselmuiden | The Netherlands
[T +31 \(0\)38 - 333 33 43](tel:+31(0)38-3333343) | [E sales@nissink.com](mailto:sales@nissink.com) | [I www.nissinkglass.com](http://www.nissinkglass.com)