Nissink | Business Glass B.V.



NISSINK BUSINESS GLASS ROYAL-WALKABLE


The patterns are as diverse as their inspirers from nature. But the standards for their applications remain the same: We aim to inspire you with our first class flexibility, quality and reliability.

CERTIFICATED SAFETY

The special Royal-Walkable collection for flooring and glass stair projects consists of 6 patterns in total. Each of these patterns was tested and certified by the leading European Work Safety institution "IFA" for their anti-slip degrees.


Certificated R11 Anti-Slip Degree from IFA Institute (Germany)

OUTSTANDING PERFORMANCE




COMFORT

Certificated R10 Anti-Slip Degree from IFA Institute (Germany)



SECRET

Certificated R11 Anti-Slip Degree from IFA Institute (Germany)




DREAM

Certificated R10 Anti-Slip Degree from IFA Institute (Germany)



TRAIL

Certificated R12 Anti-Slip Degree from IFA Institute (Germany)



ELEGANCE

Certificated R10 Anti-Slip Degree from IFA Institute (Germany)



TRUST

Certificated R11 Anti-Slip Degree from IFA Institute (Germany)

PROPERTIES

- Standard sizes 321x225cm or 160,5x225cm
- \bullet Consistent finish and appearance
- No degration, nor wear, does not pickle or discolor, and will not change over time
- Soft and silk to the touch
- Any process such as cutting, polishing, or beveling, it allows easy bending, lamination and temperate toughening
- Ease of cleaning and resistance to marks and stains
- Resistant to common cleaners because it is not an additive, or a bonded layer
- Does not peel or discolor like films
- Does not scratch off like coatings

TAKE SECURITY ONE STEP FURTHER BY USING THE ROYAL-WALKABLE

As a decorative and functional decking material Royal-Walkable. Comfort by Nissink Business Glass provides you clear added value for your applications with its unmatched features. Anti - Slip Safety: In accordance with DIN 51130 (2010) Standard and R10 safety classes, Nissink Business Glass issuitable for use in parking areas, traffic paths, entrances, sanitary areas and indoor or outdoor stairs.

ABRASION RESISTANCE

Nissink Business Glass Royal-Walkable stands our with its guaranted performance through its abrassion resistance. According to EN 13748-2 Standard Yorfloor® Comfort clasified as HG class floor tiles with an average of 9 cm3/50cm2.





